

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




8400  
7145

5

**U. S. DEPARTMENT OF AGRICULTURE**  
**Agricultural Marketing Service - Cotton Program**  
**Memphis, Tennessee**

***UNITED STATES***  
***Cotton Quality Report***



USDA  
NAT'L AGRIC LIBRARY  
JUL 30 P 3 25  
CURRENT SERIAL REG  
APR/SERIALS STAFF

**CLASSINGS FROM THE 2001 CROP**

**VOL. 75, NO. 5 – Final Monthly (by State)**

**April 2, 2002**



Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 28, 2002

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	5	96	1,625	11,010	58,524	177,538	381,747	594,321	1,224,866
	3	2	95	1,166	6,469	27,500	92,907	254,049	451,253	833,441
	4	-	2	58	454	2,297	7,332	20,130	38,311	68,584
	5	-	-	3	23	102	388	773	1,079	2,368
	6	-	-	-	2	6	11	16	34	69
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL—</b>	<b>7</b>	<b>193</b>	<b>2,852</b>	<b>17,958</b>	<b>88,429</b>	<b>278,176</b>	<b>656,715</b>	<b>1,084,998</b>	<b>2,129,328</b>
31	1-2	-	16	230	1,479	8,258	41,686	120,748	166,911	339,328
	3	21	118	699	3,960	28,040	185,097	822,887	1,571,515	2,612,337
	4	1	20	267	1,365	7,118	34,077	156,939	400,986	600,773
	5	-	1	37	139	698	2,693	8,165	17,280	29,013
	6	-	-	2	13	35	180	337	787	1,354
	7	-	-	-	1	-	12	26	28	67
	<b>TOTAL—</b>	<b>22</b>	<b>155</b>	<b>1,235</b>	<b>6,957</b>	<b>44,149</b>	<b>263,745</b>	<b>1,109,102</b>	<b>2,157,507</b>	<b>3,582,872</b>
41	1-2	-	4	23	190	1,065	5,524	18,841	29,073	54,720
	3	6	43	228	1,414	11,445	83,914	398,142	813,569	1,308,761
	4	1	20	318	1,139	6,114	34,077	154,285	409,468	605,422
	5	1	7	63	337	1,485	6,157	16,574	30,710	55,334
	6	-	1	10	51	256	1,098	2,704	3,679	7,799
	7	-	-	-	6	24	88	202	477	797
	<b>TOTAL—</b>	<b>8</b>	<b>75</b>	<b>642</b>	<b>3,137</b>	<b>20,389</b>	<b>130,858</b>	<b>590,748</b>	<b>1,286,976</b>	<b>2,032,833</b>
51	1-2	-	-	1	19	148	722	2,269	3,302	6,461
	3	-	-	6	193	1,834	11,449	44,738	82,751	140,971
	4	-	2	14	88	945	5,655	20,162	44,555	71,421
	5	-	-	3	54	276	962	2,585	4,665	8,545
	6	-	-	1	19	131	398	816	814	2,179
	7	-	-	1	9	48	124	226	221	629
	<b>TOTAL—</b>	<b>-</b>	<b>2</b>	<b>26</b>	<b>382</b>	<b>3,382</b>	<b>19,310</b>	<b>70,796</b>	<b>136,308</b>	<b>230,206</b>
61	1-2	-	-	-	1	28	49	71	60	209
	3	-	-	-	4	70	279	721	1,047	2,121
	4	-	-	-	11	75	318	648	842	1,894
	5	-	-	-	2	18	79	186	185	470
	6	-	-	-	-	2	15	41	57	115
	7	-	-	-	-	-	1	7	4	12
	<b>TOTAL—</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>18</b>	<b>193</b>	<b>741</b>	<b>1,674</b>	<b>2,195</b>	<b>4,821</b>
71	1-2	-	-	-	-	2	1	1	3	7
	3	-	-	-	-	4	24	23	16	67
	4	-	-	-	-	-	7	26	14	47
	5	-	-	-	-	-	4	3	5	12
	6	-	-	-	-	1	2	2	2	7
	7	-	-	-	-	-	1	2	-	3
	<b>TOTAL—</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>7</b>	<b>39</b>	<b>57</b>	<b>40</b>	<b>143</b>
12 & 22	1-2	2	40	470	2,710	11,091	24,636	39,273	49,216	127,438
	3	-	51	590	2,404	8,703	21,380	35,421	44,721	113,270
	4	1	5	47	299	1,008	2,663	4,943	6,616	15,582
	5	-	-	5	13	49	103	225	283	678
	6	-	-	-	-	-	4	3	9	16
	7	-	-	-	-	-	-	-	-	-
	<b>TOTAL—</b>	<b>3</b>	<b>96</b>	<b>1,112</b>	<b>5,426</b>	<b>20,851</b>	<b>48,786</b>	<b>79,865</b>	<b>100,845</b>	<b>256,984</b>
32	1-2	13	14	139	678	2,951	9,537	17,199	16,549	47,080
	3	21	163	670	2,355	10,350	37,393	102,795	131,752	285,499
	4	5	72	359	1,336	4,226	11,538	27,669	49,862	95,067
	5	-	3	61	195	545	1,519	2,867	3,784	8,974
	6	-	-	8	14	47	98	193	175	535
	7	-	1	2	2	5	4	23	11	48
	<b>TOTAL—</b>	<b>39</b>	<b>253</b>	<b>1,239</b>	<b>4,580</b>	<b>18,124</b>	<b>60,089</b>	<b>150,746</b>	<b>202,133</b>	<b>437,203</b>
42	1-2	-	9	32	237	942	2,915	5,348	5,108	14,591
	3	1	46	543	3,074	12,450	48,204	152,817	217,115	434,250
	4	1	23	279	1,775	7,350	25,617	93,040	184,922	313,007
	5	1	13	58	624	2,505	6,737	12,558	17,077	39,573
	6	-	8	27	112	637	1,777	2,326	2,275	7,162
	7	-	3	9	15	50	206	271	259	813
	<b>TOTAL—</b>	<b>3</b>	<b>102</b>	<b>948</b>	<b>5,837</b>	<b>23,934</b>	<b>85,456</b>	<b>266,360</b>	<b>426,756</b>	<b>809,396</b>
52	1-2	-	1	10	145	869	2,065	2,205	1,889	7,184
	3	-	6	207	1,501	7,319	16,707	27,953	29,415	83,108
	4	-	7	147	913	3,226	8,963	23,192	38,296	74,744
	5	-	2	34	283	681	1,287	2,997	5,104	10,388
	6	-	-	4	94	378	723	800	757	2,756
	7	-	-	5	43	158	257	258	188	909
	<b>TOTAL—</b>	<b>-</b>	<b>16</b>	<b>407</b>	<b>2,979</b>	<b>12,631</b>	<b>30,002</b>	<b>57,405</b>	<b>75,649</b>	<b>179,089</b>

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through March 28, 2002

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	1	67	411	626	174	57	1,336
	3	-	-	4	126	751	2,035	2,268	962	6,146
	4	-	-	2	38	258	658	932	853	2,741
	5	-	-	-	3	25	73	143	239	483
	6	-	-	-	2	3	7	42	63	117
	7	-	-	-	2	-	4	7	8	21
<b>TOTAL—</b>		-	-	7	238	1,448	3,403	3,566	2,182	10,844
13 & 23	1-2	1	1	32	220	944	2,046	3,783	5,077	12,104
	3	-	2	45	263	958	2,128	3,552	4,707	11,655
	4	-	1	19	101	198	353	465	592	1,729
	5	-	-	5	11	9	25	36	39	125
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
<b>TOTAL—</b>		1	4	101	595	2,109	4,552	7,837	10,415	25,614
33	1-2	4	2	18	151	618	1,930	4,163	4,569	11,455
	3	3	21	82	427	1,773	5,534	12,978	17,814	38,632
	4	-	3	40	207	777	1,809	3,448	5,269	11,553
	5	-	1	8	41	195	292	501	566	1,604
	6	-	-	-	2	11	36	46	30	125
	7	-	-	-	1	-	1	1	6	9
<b>TOTAL—</b>		7	27	148	829	3,374	9,602	21,137	28,254	63,378
43	1-2	-	-	8	58	214	698	1,203	1,170	3,351
	3	-	14	207	647	1,904	6,515	16,775	22,983	49,045
	4	1	6	98	357	1,339	4,169	10,997	18,176	35,143
	5	-	2	20	138	598	1,465	2,251	2,699	7,173
	6	-	1	2	28	122	407	479	414	1,453
	7	-	-	-	2	18	29	46	41	136
<b>TOTAL—</b>		1	23	335	1,230	4,195	13,283	31,751	45,483	96,301
53	1-2	-	1	13	149	613	1,071	825	406	3,078
	3	-	4	114	861	3,409	8,179	10,700	6,772	30,039
	4	-	-	38	424	1,407	3,647	7,323	7,801	20,640
	5	-	-	9	150	327	481	992	1,193	3,152
	6	-	-	5	44	104	89	133	155	530
	7	-	-	2	8	16	21	38	38	123
<b>TOTAL—</b>		-	5	181	1,636	5,876	13,488	20,011	16,365	57,562
63	1-2	-	-	1	94	392	316	125	37	965
	3	-	1	11	463	2,435	3,913	3,670	1,450	11,943
	4	-	-	8	158	961	2,105	2,308	1,415	6,955
	5	-	-	2	30	162	376	379	315	1,264
	6	-	-	1	14	8	20	21	48	112
	7	-	-	-	3	4	1	-	1	9
<b>TOTAL—</b>		-	1	23	762	3,962	6,731	6,503	3,266	21,248
24-54	1-7	-	4	50	322	1,038	2,919	6,808	9,796	20,937
25-35	1-7	-	-	-	-	1	3	6	8	18
81-85 1/	1-7	-	-	12	334	1,636	3,020	3,053	2,018	10,073
All Colors	8 2/	-	3	8	33	96	197	357	415	1,109
<b>TOTAL, ALL—</b>		91	959	9,326	53,253	255,824	974,400	3,084,497	5,591,609	9,969,959



Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through  
March 28, 2002

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 & +	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	641,891	563,894	374,565	97,471	16,056	1,670	1,695,547	2,920,413
	3	421,608	339,454	220,703	55,169	12,940	5,183	1,055,057	1,888,498
	4	35,368	19,262	10,625	2,231	496	115	68,097	136,681
	5	864	371	206	29	7	2	1,479	3,847
	6	19	7	6	1	1	-	34	103
	7	-	-	1	-	-	-	1	1
	<b>TOTAL—</b>	<b>1,099,750</b>	<b>922,988</b>	<b>606,106</b>	<b>154,901</b>	<b>29,500</b>	<b>6,970</b>	<b>2,820,215</b>	<b>4,949,543</b>
31	1-2	134,199	79,590	36,417	8,265	1,058	86	259,615	598,943
	3	1,250,969	561,652	151,791	24,213	4,283	1,537	1,994,445	4,606,782
	4	424,871	224,372	65,071	7,001	1,299	162	722,776	1,323,549
	5	17,930	9,397	3,544	606	134	14	31,625	60,638
	6	683	289	138	52	9	1	1,172	2,526
	7	36	14	16	7	-	1	74	141
	<b>TOTAL—</b>	<b>1,828,688</b>	<b>875,314</b>	<b>256,977</b>	<b>40,144</b>	<b>6,783</b>	<b>1,801</b>	<b>3,009,707</b>	<b>6,592,579</b>
41	1-2	24,022	10,546	3,112	544	39	2	38,265	92,985
	3	659,421	279,801	59,602	3,875	605	23	1,003,327	2,312,088
	4	500,411	276,886	66,391	4,743	871	15	849,317	1,454,739
	5	37,201	23,570	6,575	888	170	8	68,412	123,746
	6	2,570	1,215	576	119	17	1	4,498	12,297
	7	252	109	119	24	4	-	508	1,305
	<b>TOTAL—</b>	<b>1,223,877</b>	<b>592,127</b>	<b>136,375</b>	<b>10,193</b>	<b>1,706</b>	<b>49</b>	<b>1,964,327</b>	<b>3,997,160</b>
51	1-2	2,774	1,363	306	14	1	-	4,458	10,919
	3	67,004	32,395	6,049	227	15	-	105,690	246,661
	4	51,390	31,414	6,982	656	63	337	90,842	162,263
	5	5,662	3,556	1,018	269	71	-	10,576	19,121
	6	552	365	211	54	14	2	1,198	3,377
	7	122	55	59	11	-	-	247	876
	<b>TOTAL—</b>	<b>127,504</b>	<b>69,148</b>	<b>14,625</b>	<b>1,231</b>	<b>185</b>	<b>4</b>	<b>212,697</b>	<b>442,903</b>
61	1-2	48	26	6	1	-	-	81	290
	3	675	251	66	7	2	-	1,001	3,122
	4	643	216	68	8	1	-	936	2,830
	5	177	87	45	7	-	-	316	786
	6	45	27	46	10	-	-	128	243
	7	1	8	2	1	-	-	12	24
	<b>TOTAL—</b>	<b>1,589</b>	<b>615</b>	<b>233</b>	<b>34</b>	<b>3</b>	<b>-</b>	<b>2,474</b>	<b>7,295</b>
71	1-2	7	2	1	-	-	-	10	17
	3	12	12	2	-	-	-	26	93
	4	11	8	10	-	-	1	30	77
	5	4	1	2	-	-	-	7	19
	6	1	1	3	-	-	-	5	12
	7	-	1	-	-	-	-	1	4
	<b>TOTAL—</b>	<b>35</b>	<b>25</b>	<b>18</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>79</b>	<b>222</b>
12 & 22	1-2	36,741	17,341	8,175	1,895	333	43	64,528	191,966
	3	31,476	16,473	9,156	2,229	448	56	59,838	173,108
	4	5,528	2,383	1,154	205	69	15	9,354	24,936
	5	213	87	41	5	1	-	347	1,025
	6	4	1	1	-	-	-	6	22
	7	-	-	-	-	-	-	-	-
	<b>TOTAL—</b>	<b>73,962</b>	<b>36,285</b>	<b>18,527</b>	<b>4,334</b>	<b>851</b>	<b>114</b>	<b>134,073</b>	<b>391,057</b>
32	1-2	9,255	3,869	2,195	635	87	7	16,048	63,128
	3	77,828	30,990	12,222	3,073	475	155	124,743	410,242
	4	43,807	18,819	5,946	998	227	33	69,830	164,897
	5	3,313	1,517	444	129	49	6	5,458	14,432
	6	154	74	19	15	6	3	271	806
	7	5	4	2	2	2	-	15	63
	<b>TOTAL—</b>	<b>134,362</b>	<b>55,273</b>	<b>20,828</b>	<b>4,852</b>	<b>846</b>	<b>204</b>	<b>216,365</b>	<b>653,568</b>
42	1-2	2,494	948	558	296	13	-	4,309	18,900
	3	126,813	46,206	9,813	978	154	28	183,992	618,242
	4	173,371	79,070	16,816	641	88	5	269,991	582,998
	5	15,613	8,007	2,075	212	66	5	25,978	65,551
	6	1,217	532	173	62	27	-	2,011	9,173
	7	170	52	22	6	2	-	252	1,065
	<b>TOTAL—</b>	<b>319,678</b>	<b>134,815</b>	<b>29,457</b>	<b>2,195</b>	<b>350</b>	<b>38</b>	<b>486,533</b>	<b>1,295,929</b>
52	1-2	837	243	58	16	3	-	1,157	8,341
	3	16,617	6,732	1,594	170	9	2	25,124	108,232
	4	32,049	13,300	2,280	81	7	3	47,720	122,464
	5	5,524	2,856	493	22	6	3	8,904	19,292
	6	541	253	76	12	8	1	891	3,647
	7	124	30	13	3	2	-	172	1,081
	<b>TOTAL—</b>	<b>55,692</b>	<b>23,414</b>	<b>4,514</b>	<b>304</b>	<b>35</b>	<b>9</b>	<b>83,968</b>	<b>263,057</b>

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through  
March 28, 2002

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	20	6	3	1	-	-	30
	3	427	223	98	5	-	-	753
	4	531	164	96	8	1	4	804
	5	130	58	8	2	1	-	199
	6	38	13	9	2	-	-	62
	7	13	4	3	1	-	-	21
<b>TOTAL—</b>		<b>1,159</b>	<b>468</b>	<b>217</b>	<b>19</b>	<b>2</b>	<b>4</b>	<b>1,869</b>
13 & 23	1-2	3,691	1,543	604	105	7	-	5,950
	3	3,198	1,398	595	116	12	3	5,322
	4	426	198	52	5	2	-	683
	5	19	11	-	-	-	-	30
	6	1	-	-	-	-	-	1
	7	-	-	-	-	-	-	-
<b>TOTAL—</b>		<b>7,335</b>	<b>3,150</b>	<b>1,251</b>	<b>226</b>	<b>21</b>	<b>3</b>	<b>11,986</b>
33	1-2	2,987	1,510	630	108	13	4	5,252
	3	12,744	6,571	3,338	935	89	20	23,697
	4	4,507	1,926	823	223	20	13	7,512
	5	320	145	82	9	3	-	559
	6	16	9	3	-	-	-	28
	7	2	1	-	-	-	-	3
<b>TOTAL—</b>		<b>20,576</b>	<b>10,162</b>	<b>4,876</b>	<b>1,275</b>	<b>125</b>	<b>37</b>	<b>37,051</b>
43	1-2	800	362	306	130	4	1	1,603
	3	15,069	7,051	2,989	697	57	11	25,874
	4	15,149	6,841	2,268	347	30	7	24,642
	5	1,845	805	296	50	16	1	3,013
	6	198	82	21	16	9	1	327
	7	26	8	3	4	1	-	42
<b>TOTAL—</b>		<b>33,087</b>	<b>15,149</b>	<b>5,883</b>	<b>1,244</b>	<b>117</b>	<b>21</b>	<b>55,501</b>
53	1-2	133	50	42	18	-	-	243
	3	3,088	1,174	691	130	6	4	5,093
	4	4,958	1,780	454	59	4	-	7,255
	5	895	388	83	7	1	-	1,374
	6	83	52	29	4	-	-	168
	7	26	6	-	6	1	-	39
<b>TOTAL—</b>		<b>9,183</b>	<b>3,450</b>	<b>1,299</b>	<b>224</b>	<b>12</b>	<b>4</b>	<b>14,172</b>
63	1-2	3	4	3	-	-	-	10
	3	308	92	98	7	-	-	505
	4	477	117	119	16	1	-	730
	5	200	55	24	1	-	-	280
	6	63	52	14	-	-	-	129
	7	1	2	-	2	-	-	5
<b>TOTAL—</b>		<b>1,052</b>	<b>322</b>	<b>258</b>	<b>26</b>	<b>1</b>	<b>-</b>	<b>1,659</b>
24-54	1-7	7,581	3,679	2,072	578	44	4	13,958
25-35	1-7	6	3	-	-	-	-	9
81-85 1/	1-7	1,096	546	272	62	15	1	1,992
All Colors	8 2/	305	110	62	4	-	-	481
<b>TOTAL, ALL—</b>		<b>4,946,517</b>	<b>2,747,043</b>	<b>1,103,850</b>	<b>221,846</b>	<b>40,596</b>	<b>9,264</b>	<b>9,069,116</b>
EXTRANEOUS MATTER		Average Staple -----						
		Percent Tenderable -----						
Bark - Level 1		429,479						34.5
Bark - Level 2		463						63.9
Grass - Level 1		135,282						
Grass - Level 2		1,030						
Prep - Level 1		9,347						
Prep - Level 2		91						
Other - Level 1		12,222						
Other - Level 2		33						

19,039,075 bales classed, includes 25,076 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf.



Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.1	0.3	0.9	2.0	3.1	3.4	3.0	2.0	0.5	0.1	*	15.3
	3	*	*	*	*	0.1	0.5	1.3	2.4	2.2	1.8	1.2	0.3	0.1	*	9.9
	4	-	-	*	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	0.1	0.5	1.5	3.4	5.7	5.8	4.8	3.2	0.8	0.2	*	26.0
31	1-2	-	*	*	*	*	0.2	0.6	0.9	0.7	0.4	0.2	*	*	*	3.1
	3	*	*	*	*	0.1	1.0	4.3	8.3	6.6	2.9	0.8	0.1	*	*	24.2
	4	*	*	*	*	*	0.2	0.8	2.1	2.2	1.2	0.3	*	*	*	7.0
	5	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	*	0.2	1.4	5.8	11.3	9.6	4.6	1.3	0.2	*	*	34.6
41	1-2	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.5
	3	*	*	*	*	0.1	0.4	2.1	4.3	3.5	1.5	0.3	*	*	*	12.1
	4	*	*	*	*	*	0.2	0.8	2.2	2.6	1.5	0.3	*	*	*	7.6
	5	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	*	0.1	0.7	3.1	6.8	6.4	3.1	0.7	*	*	*	21.0
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	0.1	0.2	0.4	0.4	0.2	*	*	*	*	1.3
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	*	0.9
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	*	*	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	*	2.3
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	*	*	1.0
	3	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.9
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	*	2.1
32	1-2	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	3	*	*	*	*	*	0.2	0.5	0.7	0.4	0.2	0.1	*	*	*	2.2
	4	*	*	*	*	*	0.1	0.1	0.3	0.2	0.1	*	*	*	*	0.9
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	*	0.1	0.3	0.8	1.1	0.7	0.3	0.1	*	*	*	3.4
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	0.1	0.3	0.8	1.1	0.7	0.2	*	*	*	*	3.2
	4	*	*	*	*	*	0.1	0.5	1.0	0.9	0.4	0.1	*	*	*	3.1
	5	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	*	0.1	0.4	1.4	2.2	1.7	0.7	0.2	*	*	*	6.8
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	0.6
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	*	*	1.4

\* Less than 0.05 percent.



Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL—		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL—		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL—		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.5
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL—		-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.8
53	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	0.1	*	*	*	*	*	*	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL—		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL—		-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
All Colors	8 2/	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL—		-	-	*	0.3	1.3	5.1	16.2	29.4	26.0	14.4	5.8	1.2	0.2	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.3															
Bark - Level 2	*															
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

19,039,075 bales classed includes 25,076 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.5	0.7	0.4	0.1	*	*	-	-	1.8
	3	-	-	-	-	*	0.3	2.4	4.3	2.9	1.3	0.2	*	-	-	11.5
	4	-	-	-	-	*	*	0.2	0.5	0.5	0.3	0.1	*	-	-	1.6
	5	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.4	3.1	5.6	3.8	1.6	0.3	*	-	-	14.9
31	1-2	-	-	-	-	*	0.1	0.5	0.8	0.5	0.1	*	-	-	-	2.2
	3	-	-	-	-	*	1.0	6.4	13.0	11.0	4.5	0.8	*	-	-	36.8
	4	-	-	-	-	*	0.1	1.4	4.6	5.2	2.7	0.6	*	-	-	14.6
	5	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL—	-	-	-	-	0.1	1.3	8.4	18.6	17.0	7.4	1.4	*	-	-	54.1
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	*	0.6	2.8	4.8	3.4	0.9	0.1	*	-	-	12.7
	4	-	-	-	-	*	0.2	1.3	3.1	3.0	1.1	0.2	*	-	-	9.0
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.9	4.3	8.4	6.7	2.2	0.4	*	-	-	22.9
51	1-2	-	-	-	-	*	*	0.1	-	-	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.3	0.9	0.9	0.4	0.1	*	-	-	-	2.5
	4	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	-	-	-	1.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.4	1.3	1.4	0.6	0.1	*	*	-	-	3.9
61	1-2	-	-	-	-	*	*	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.2	0.4	0.4	0.2	*	*	-	-	1.3
42	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.3	0.5	0.4	0.1	*	*	-	-	1.5
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.3

\* Less than 0.05 percent.



Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	0.1	0.1	-	-	-	-	-	0.2
43	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	0.1	0.1	-	-	-	-	-	0.2
53	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	-	-	-	-	-	-	0.1
63	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
All Colors	2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL—		-	-	-	-	0.2	3.3	18.1	35.3	29.1	11.8	2.2	-	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		4.1														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

907,120 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Average Staple 34.3  
Percent Tenderable 78.6

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	1.8	7.8	18.9	19.0	8.6	0.5	*	-	57.1
	3	-	-	-	*	*	*	0.3	1.5	3.3	3.4	1.7	0.2	*	*	10.3
	4	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.3	2.1	9.4	22.4	22.6	10.4	0.7	*	*	67.9
31	1-2	-	-	-	*	*	0.1	0.7	2.3	3.3	2.9	1.3	0.1	*	-	10.8
	3	-	-	-	*	*	0.1	0.4	1.5	2.6	2.3	1.2	0.1	*	-	8.3
	4	-	-	-	-	*	*	0.2	0.5	0.6	0.4	0.2	*	*	-	1.8
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL—		-	-	-	*	*	0.2	1.3	4.3	6.5	5.7	2.7	0.2	*	-	21.0
41	1-2	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	-	-	0.9
	3	-	-	-	-	*	*	0.1	0.4	0.5	0.4	0.1	*	-	-	1.6
	4	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	*	-	-	1.1
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	*	*	0.1	0.6	1.2	1.3	0.8	0.2	*	-	-	4.3
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	0.1	0.1	0.1	*	*	*	*	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.2	*	*	-	1.7
	3	-	-	-	-	*	*	*	0.2	0.4	0.4	0.2	*	-	-	1.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.1	0.5	1.1	1.0	0.4	*	*	-	-	3.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	0.1	0.2	0.2	0.2	0.1	*	*	-	-	0.7
	4	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	0.1	0.2	0.5	0.5	0.3	0.1	*	*	-	-	1.8
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.5
	4	-	-	-	-	-	0.1	0.2	0.1	*	*	*	*	-	-	0.3
	5	-	-	-	-	-	0.1	0.1	0.1	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	0.2	0.4	0.3	0.1	*	*	*	-	-	1.1
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1

\* Less than 0.05 percent.



Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	B 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	*	0.1	0.9	4.7	16.6	32.2	30.6	13.9	1.0	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		4.2														
Bark - Level 2		"														
Grass - Level 1		0.6														
Grass - Level 2		"														
Prep - Level 1		"														
Prep - Level 2		"														
Other - Level 1		0.6														
Other - Level 2		"														

642,712 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 5. — **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.6
	3	-	-	-	-	*	*	0.2	0.7	0.4	0.2	0.1	*	-	-	1.6
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.3	1.0	0.6	0.3	0.1	*	-	-	2.3
31	1-2	-	-	-	-	*	0.1	0.6	1.2	0.8	0.3	*	-	-	-	3.0
	3	-	-	-	*	*	0.2	3.3	8.6	8.2	4.4	0.8	*	-	-	25.5
	4	-	-	-	*	*	*	0.3	1.7	3.7	2.4	0.6	*	-	-	8.6
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.3	4.2	11.4	12.7	7.2	1.4	*	-	-	37.4
41	1-2	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	-	0.6
	3	-	-	-	*	*	0.2	2.0	5.8	6.3	3.1	0.6	*	-	-	18.2
	4	-	-	-	-	*	*	0.6	3.3	7.2	4.6	1.0	*	-	-	16.7
	5	-	-	-	-	*	*	*	0.2	0.5	0.4	0.1	*	-	-	1.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.2	2.8	9.5	14.1	8.2	1.8	*	-	-	36.7
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.7	0.7	0.3	*	-	-	-	1.9
	4	-	-	-	-	*	*	0.1	0.4	0.8	0.5	0.1	*	-	-	1.8
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.3	1.1	1.5	0.9	0.1	*	-	-	4.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	*	*	0.3	0.7	0.6	0.2	*	-	-	-	1.9
	4	-	-	-	*	*	*	0.1	0.4	0.5	0.3	0.1	*	-	-	1.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	*	*	*	0.4	1.1	1.1	0.5	0.1	*	-	-	3.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.6	1.5	1.4	0.6	0.1	*	-	-	4.4
	4	-	-	-	-	*	*	0.5	1.9	3.1	1.8	0.4	*	-	-	7.7
	5	-	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	0.6
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	1.1	3.5	4.7	2.6	0.6	*	-	-	12.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	-	-	-	1.1
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.2	0.5	0.7	0.4	*	-	-	-	1.9

\* Less than 0.05 percent.



Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.3
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.3
	4	-	-	-	-	-	-	-	0.2	0.2	0.1	-	-	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	0.1	0.3	0.3	0.1	-	-	-	0.9
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	-	0.8	9.5	28.8	36.2	20.5	4.2	-	-	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 2		-														

Average Staple 34.8  
Percent Tenderable 58.2

1,788,119 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. - Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.2	1.0	3.8	10.2	15.1	12.4	4.2	0.8	0.1	47.9
	3	-	-	-	*	*	*	0.2	1.1	4.9	10.8	8.6	2.3	0.6	0.3	28.7
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.2	1.2	4.9	15.2	26.2	21.3	6.5	1.3	0.4	77.3
31	1-2	-	-	-	-	*	*	0.1	0.6	1.7	1.6	0.9	0.3	*	*	5.3
	3	-	-	-	*	*	*	0.1	0.4	1.5	2.9	2.5	0.9	0.2	0.1	8.5
	4	-	-	-	-	*	*	*	0.1	0.2	0.5	0.5	0.1	*	*	1.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	*	*	0.2	1.1	3.4	5.0	4.0	4.0	1.3	0.3	0.1	15.3
41	1-2	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
	3	-	-	-	-	*	*	*	0.1	0.3	0.5	0.4	0.1	*	*	1.4
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.6
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	0.1	0.2	0.6	0.9	0.8	0.2	*	*	2.9
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	-	0.1	0.2	0.2	0.2	0.1	*	*	*	0.6
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.7
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.2	*	*	*	1.4
32	1-2	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.2
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	0.1	0.2	0.3	0.4	0.2	*	*	*	1.1
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.5
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1

\* Less than 0.05 percent.



Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	-	0.3	1.6	6.6	20.1	33.4	27.3	8.5	1.7	0.5	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.5														
Bark - Level 2		-														
Grass - Level 1		0.6														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		0.3														
Other - Level 2		-														

1,742,170 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.2	0.3	0.2	*	-	-	-	-	0.7
	3	-	-	-	-	-	0.1	1.1	2.6	1.6	0.3	-	-	-	-	5.9
	4	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.2	1.4	3.1	1.9	0.4	*	-	-	-	7.0
31	1-2	-	-	-	-	-	*	0.4	0.9	0.5	0.1	-	-	-	-	1.9
	3	-	-	-	*	*	0.4	4.4	14.5	14.8	4.2	0.3	*	-	-	38.7
	4	-	-	-	-	-	*	0.5	1.9	2.4	1.4	0.2	*	-	-	6.4
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.5	5.4	17.3	17.7	5.7	0.4	*	-	-	47.0
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	-	-	-	-	-	0.5
	3	-	-	-	*	*	0.4	3.5	10.4	10.7	3.1	0.2	-	-	-	28.3
	4	-	-	-	-	-	0.2	1.3	3.2	3.6	1.9	0.2	-	-	-	10.3
	5	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.6	4.9	13.8	14.5	5.1	0.4	*	-	-	39.5
51	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	0.1
	3	-	-	-	*	*	0.3	1.3	1.6	0.7	0.1	-	-	-	-	4.0
	4	-	-	-	-	-	0.1	0.5	0.7	0.4	0.1	-	-	-	-	1.8
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.5	1.9	2.3	1.1	0.2	*	-	-	-	5.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	0.1	0.1	*	-	-	-	-	-	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1

\* Less than 0.05 percent.

Table 7. - **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	0.1	1.9	13.7	36.7	35.4	11.4	0.9	-	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	2.3															Average Staple 34.4
Bark - Level 2	-															Percent Tenderable 85.0
Grass - Level 1	0.5															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

147,444 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 8. -- *Georgia*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.4	0.8	0.6	0.1	*	*	-	-	2.0
	3	-	-	*	*	*	0.3	1.7	4.3	3.2	0.8	0.1	*	-	-	10.4
	4	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	*	*	*	0.3	2.2	5.3	3.9	0.9	0.1	*	-	-	12.9
31	1-2	-	-	*	*	*	0.2	0.6	0.9	0.4	0.1	*	*	-	-	2.2
	3	-	-	*	*	0.3	2.2	9.6	18.3	10.9	2.5	0.4	*	-	-	44.3
	4	-	-	-	-	*	0.2	1.2	2.6	1.9	0.5	0.1	*	-	-	6.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	*	*	0.3	2.6	11.4	21.8	13.2	3.2	0.5	*	-	-	53.1
41	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	-	-	0.4
	3	-	-	-	*	0.1	1.0	4.0	7.4	4.8	1.2	0.2	*	-	-	18.6
	4	-	-	-	*	*	0.3	1.4	2.7	2.0	0.6	0.1	*	-	-	7.1
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	*	*	0.2	1.4	5.5	10.3	6.9	1.8	0.3	*	-	-	26.4
51	1-2	-	-	-	*	*	*	*	0.1	-	-	-	-	-	-	0.2
	3	-	-	-	*	*	0.2	0.9	1.6	1.0	0.2	*	*	-	-	4.1
	4	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	-	1.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	*	*	*	0.3	1.3	2.2	1.3	0.3	*	*	-	-	5.4
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	0.1	0.2	0.1	0.1	*	*	*	-	-	0.5
	4	-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	0.1	0.1	0.2	0.1	*	*	*	-	-	0.5
	4	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	0.1	0.3	0.3	0.2	*	*	*	-	-	1.0
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2

\* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	•
TOTAL, ALL—		-	-	•	•	0.7	4.9	20.9	40.3	25.7	6.3	1.0	•	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.4															
Bark - Level 2	•															
Grass - Level 1	0.6															
Grass - Level 2	•															
Prep - Level 1	•															
Prep - Level 2	•															
Other - Level 1	•															
Other - Level 1	-															

2,151,184 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. • Less than 0.05 percent.

Table 9. -- *Louisiana* : Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.3
31	1-2	-	-	-	-	-	-	0.4	0.6	0.3	-	-	-	-	-	1.4
	3	-	-	-	-	-	0.3	2.5	5.6	4.4	1.3	0.2	-	-	-	14.4
	4	-	-	-	-	-	-	0.1	0.3	0.5	0.3	-	-	-	-	1.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.4	2.9	6.5	5.3	1.6	0.3	-	-	-	17.0
41	1-2	-	-	-	-	-	0.1	0.3	0.3	0.1	-	-	-	-	-	0.7
	3	-	-	-	-	-	1.2	6.9	13.1	8.4	2.0	0.4	0.1	-	-	32.1
	4	-	-	-	-	-	0.1	1.2	3.8	4.5	1.9	0.5	0.2	-	-	12.2
	5	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	1.4	8.3	17.3	13.1	4.1	0.9	0.3	-	-	45.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	0.4	0.7	0.4	0.1	-	-	-	-	1.6
	4	-	-	-	-	-	-	0.3	0.7	0.8	0.3	0.1	-	-	-	2.2
	5	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.1	0.7	1.5	1.2	0.4	0.1	-	-	-	4.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.1	0.7	0.9	0.5	0.1	-	-	-	-	2.3
	4	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.1	0.8	1.2	0.6	0.2	-	-	-	-	2.9
42	1-2	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.2
	3	-	-	-	-	-	1.2	3.9	4.6	2.0	0.3	-	-	-	-	12.1
	4	-	-	-	-	-	0.4	1.6	2.8	2.0	0.6	0.1	-	-	-	7.5
	5	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	1.5	5.7	7.6	4.2	1.0	0.1	-	-	-	20.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.3	0.8	0.8	0.3	-	-	-	-	-	2.2
	4	-	-	-	-	-	0.2	0.8	1.3	0.9	0.2	-	-	-	-	3.4
	5	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.5	1.7	2.1	1.3	0.3	-	-	-	-	6.0

- Less than 0.05 percent.



Table 9. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
13 ■ 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	0.4	0.5	0.2	-	-	-	-	-	1.3
	4	-	-	-	-	-	0.1	0.2	0.3	0.2	-	-	-	-	-	0.8
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.2	0.7	0.8	0.5	0.1	-	-	-	-	2.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	-	0.6
	4	-	-	-	-	-	0.1	0.2	0.3	0.2	-	-	-	-	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.2	0.5	0.4	0.2	0.1	-	-	-	-	1.4
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	0.2	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
24-54	1-7	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	0.1	4.5	21.4	37.7	26.6	7.7	1.5	0.4	0.1	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.7														
Bark - Level 2		-														
Grass - Level 1		0.9														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 2		-														
Average Staple																34.2
Percent Tenderable																43.2

1,044,667 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 10. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.5	0.2	*	*	*	-	-	0.9
	3	-	-	-	*	*	*	0.3	0.8	0.5	0.1	*	*	-	-	1.9
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.1	0.6	1.3	0.7	0.2	*	*	-	-	2.9
31	1-2	-	-	-	*	*	0.1	0.5	0.9	0.3	0.1	*	-	-	-	1.9
	3	-	-	-	*	*	0.5	4.2	9.6	6.6	1.9	0.2	*	*	-	23.0
	4	-	-	-	*	*	*	0.4	1.6	1.9	0.8	0.1	*	*	-	4.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.6	5.2	12.1	8.8	2.7	0.3	*	*	-	29.8
41	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	0.5	3.7	8.3	5.3	1.4	0.2	*	*	-	19.3
	4	-	-	-	*	*	0.1	1.3	4.5	5.3	2.4	0.4	*	*	-	14.1
	5	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	-	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	*	0.6	5.1	13.1	11.0	3.9	0.6	*	*	-	34.5
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	4	-	-	-	-	-	*	0.1	0.3	0.3	0.2	*	*	-	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	-	*	0.2	0.5	0.5	0.2	*	*	*	-	1.5
61	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	0.1	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	0.1	*	*	*	*	-	-	0.2
32	1-2	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	-	0.2	1.0	1.6	0.8	0.2	*	*	-	-	3.8
	4	-	-	-	-	-	*	0.2	0.4	0.4	0.2	*	*	-	-	1.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	-	0.2	1.2	2.1	1.3	0.4	*	*	*	-	5.3
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	0.5	2.6	4.3	2.1	0.5	*	*	*	-	10.1
	4	-	-	-	-	-	0.2	1.5	3.7	3.0	1.0	0.1	*	*	-	9.5
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	-	0.7	4.3	8.1	5.4	1.6	0.2	*	*	-	20.3
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	0.2	0.3	0.1	*	*	-	-	-	0.7
	4	-	-	-	-	-	0.1	0.3	0.6	0.5	0.1	*	*	-	-	1.7
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	-	0.1	0.6	1.0	0.7	0.2	*	*	-	-	2.6

\* Less than 0.05 percent.

Table 10. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.4
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.2	0.3	0.2	0.1	-	-	-	-	0.8
	4	-	-	-	-	-	-	0.1	0.3	0.3	0.1	-	-	-	-	0.8
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.1	0.3	0.7	0.5	0.2	-	-	-	-	1.8
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	0.2	0.2	0.1	-	-	-	-	-	0.6
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	0.1	2.6	17.8	39.5	29.1	9.5	1.3	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		-														
Grass - Level 1		0.4														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

2,338,621 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.



Table 11. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	-	0.4
	3	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	-	-	0.9
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	0.3	0.6	0.4	0.1	*	-	-	1.4
31	1-2	-	-	-	-	*	*	0.2	1.0	1.5	0.8	0.1	*	-	-	3.5
	3	-	-	-	-	*	*	0.4	2.9	7.5	7.8	1.7	*	-	-	20.4
	4	-	-	-	-	-	*	*	0.4	1.5	2.3	0.6	*	-	-	4.7
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.7	4.3	10.5	10.9	2.3	*	-	-	28.7
41	1-2	-	-	-	-	*	*	0.1	0.5	0.7	0.3	*	-	-	-	1.6
	3	-	-	-	-	*	*	0.6	4.2	11.6	11.1	2.6	*	-	-	30.2
	4	-	-	-	-	*	*	0.2	1.5	5.1	6.4	1.7	*	-	-	14.9
	5	-	-	-	-	-	*	*	*	0.2	0.3	*	-	-	-	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.9	6.2	17.6	18.1	4.3	*	-	-	47.3
51	1-2	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	0.1	0.9	2.3	2.3	0.5	*	-	-	6.1
	4	-	-	-	-	-	*	*	0.4	1.3	1.6	0.4	*	-	-	3.7
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.2	1.4	3.7	3.9	0.8	*	-	-	10.0
61	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	*	0.2	0.4	0.5	0.1	*	-	-	1.3
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	0.2	0.6	0.7	0.2	*	-	-	1.8
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	0.1	0.4	1.5	1.9	0.5	*	-	-	-	4.5
	4	-	-	-	-	-	*	0.2	0.8	1.5	0.5	*	-	-	-	2.9
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.1	0.6	2.4	3.4	1.0	*	-	-	-	7.6
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.2	0.4	0.4	0.1	*	-	-	1.1
	4	-	-	-	-	-	-	*	0.1	0.2	0.4	0.1	*	-	-	0.8
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	0.2	0.7	0.8	0.2	*	-	-	2.0

\* Less than 0.05 percent.

Table 11. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.2	0.2	*	-	-	-	0.4
	4	-	-	-	-	-	-	*	*	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	*	*	0.2	0.3	0.1	*	-	-	0.7
53	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL—		-	-	-	-	*	0.1	2.0	13.3	36.5	38.8	9.2	*	-	-	100.0
EXTRANEEOUS MATTER		Average Staple														35.4
		Percent Tenderable														64.3
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

673,837 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 12. -- *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.2	2.8	10.6	13.6	16.9	18.6	6.3	2.0	0.2	71.2
	3	-	-	-	-	-	0.1	0.2	0.5	0.5	1.0	4.6	5.4	3.4	0.6	16.3
	4	-	-	-	-	-	*	*	*	*	*	0.4	0.4	0.4	0.2	1.4
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.3	2.9	11.2	14.1	17.9	23.6	12.1	5.8	1.0	88.9
31	1-2	-	-	-	-	-	-	0.3	0.5	0.6	0.6	0.7	0.2	*	*	2.9
	3	-	-	-	-	-	0.1	0.1	0.2	0.3	0.3	0.9	0.7	0.6	0.1	3.3
	4	-	-	-	-	-	*	*	*	*	0.1	0.3	0.4	0.4	0.1	1.5
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	0.1	0.3	0.7	0.9	1.0	2.0	1.3	1.1	0.3	7.8
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL—	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	-	0.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	*	*	-	0.6
	3	-	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.3	*	0.9
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	0.2	0.2	0.2	0.3	0.3	0.4	0.1	1.7
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	*	0.3
	4	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	0.2	0.2	0.2	*	0.6
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* Less than 0.05 percent.



Table 12. -- *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL—		-	-	-	-	*	0.4	3.4	12.2	15.4	19.5	26.4	14.0	7.5	1.3	100.0	
EXTRANEEOUS MATTER																Average Staple	36.3
																Percent Tenderable	87.6
Bark - Level 1		0.3															
Bark - Level 2		-															
Grass - Level 1		0.2															
Grass - Level 2		.															
Prep - Level 1		.															
Prep - Level 2		-															
Other - Level 1		.															
Other - Level 1		-															

57,911 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 13. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	3	-	-	-	-	-	0.2	0.8	1.9	2.1	0.9	0.1	-	-	-	5.9
	4	-	-	-	-	-	-	0.1	0.4	0.4	0.1	-	-	-	-	1.0
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	0.2	0.9	2.3	2.5	1.0	0.1	-	-	-	7.1
31	1-2	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.5
	3	-	-	-	-	0.1	1.2	6.2	14.3	15.5	7.4	1.1	-	-	-	45.8
	4	-	-	-	-	-	0.3	2.7	8.2	7.9	3.9	0.9	-	-	-	23.9
	5	-	-	-	-	-	-	0.1	0.4	0.4	0.1	-	-	-	-	1.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.2	1.6	9.1	23.1	23.9	11.4	2.0	-	-	-	71.3
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.3	1.2	2.7	2.7	1.3	0.2	-	-	-	8.5
	4	-	-	-	-	-	0.2	1.1	3.0	2.9	1.6	0.4	-	-	-	9.2
	5	-	-	-	-	-	-	0.1	0.4	0.3	0.1	-	-	-	-	1.0
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	0.1	0.4	2.5	6.1	6.0	3.0	0.7	-	-	-	18.9
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	0.5
	4	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	0.1	0.5	0.5	0.2	-	-	-	-	1.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2

\* Less than 0.05 percent.

Table 13. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL—			-	-	-	-	0.3	2.3	12.9	32.4	33.4	15.8	2.9	-	-	100.0		
EXTRANEEOUS MATTER																	Average Staple	34.6
																	Percent Tenderable	83.3
Bark - Level 1		1.0																
Bark - Level 2		-																
Grass - Level 1		2.0																
Grass - Level 2		-																
Prep - Level 1		-																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 1		-																

1,639,617 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.



Table 14. -- *Oklahoma*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.1	0.1	0.3	1.4	6.0	12.1	14.9	4.2	0.6	*	39.8
	3	-	*	*	*	0.1	0.2	0.3	0.5	1.4	2.9	3.4	0.9	0.2	*	9.9
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	*	*	0.1	0.2	0.3	0.6	2.0	7.4	15.1	18.4	5.1	0.8	*	50.0
31	1-2	-	*	*	*	*	0.1	0.4	0.8	1.0	1.5	2.1	0.6	0.1	*	6.6
	3	-	*	*	*	0.2	0.5	1.0	1.6	1.5	1.4	1.6	0.6	0.1	*	8.6
	4	-	-	-	*	0.1	0.1	0.3	0.3	0.3	0.2	0.1	*	*	-	1.5
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		*	*	0.1	0.1	0.3	0.7	1.7	2.7	2.8	3.1	3.8	1.3	0.2	*	16.8
41	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	3	-	-	-	0.1	0.2	0.3	0.7	1.3	1.2	0.7	0.2	*	-	-	4.7
	4	-	-	0.1	0.2	0.3	0.4	0.8	1.2	1.0	0.6	0.1	*	*	-	4.7
	5	-	-	*	*	*	*	0.1	0.4	0.6	0.4	0.2	*	-	-	1.8
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL—		*	*	0.2	0.3	0.5	0.9	2.2	3.3	2.8	1.5	0.4	*	*	-	12.2
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	*	0.2
	5	-	-	-	-	*	*	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL—		-	*	*	*	0.1	0.2	0.3	0.2	0.2	*	*	-	-	-	1.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	0.1	0.4	0.4	0.2	*	*	-	1.2
	3	-	-	-	-	-	0.1	0.1	0.1	0.3	0.3	0.1	*	*	-	1.0
	4	-	-	-	-	*	-	-	*	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	*	*	0.1	0.1	0.1	0.2	0.7	0.8	0.3	*	*	-	2.4
32	1-2	-	-	-	-	-	-	0.1	0.2	0.2	0.1	*	*	*	-	0.7
	3	-	-	-	-	0.1	0.2	0.5	0.8	0.7	0.3	0.1	*	*	-	3.0
	4	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		*	*	0.1	0.1	0.2	0.4	0.8	1.3	1.2	0.6	0.2	*	*	-	4.8
42	1-2	-	-	-	-	-	-	-	0.1	-	-	-	*	*	-	0.2
	3	-	-	-	-	-	0.1	0.4	0.9	1.3	0.6	*	*	-	-	3.4
	4	-	-	-	-	-	0.2	0.5	0.7	0.9	0.4	*	-	-	-	2.8
	5	-	-	-	-	*	0.2	0.3	0.4	0.3	0.1	*	-	-	-	1.3
	6	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
TOTAL—		*	*	*	*	0.2	0.6	1.4	2.2	2.6	1.1	0.1	*	*	-	8.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
TOTAL—		-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5

\* Less than 0.05 percent.

Table 14. -- *Oklahoma*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY		LEAF	STAPLE														TOTAL	
COLOR	26 & - Pct.		28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1			
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1			
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—		-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.3			
33	1-2	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	0.3			
	3	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	0.8			
	4	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.3			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—		-	-	-	-	-	0.1	0.2	0.4	0.4	0.2	0.1	-	-	1.5			
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1			
	3	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	0.7			
	4	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	0.6			
	5	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.4			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—		-	-	-	-	0.1	0.1	0.4	0.5	0.5	0.2	-	-	-	1.8			
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	0.1			
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-			
24-54	1-7	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2			
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1			
TOTAL, ALL—		-	0.1	0.4	0.8	1.6	3.7	8.0	13.1	18.7	22.9	23.4	6.5	0.9	-	100.0		
EXTRANEIOUS MATTER																Average Staple	35.4	
																Percent Tenderable	61.4	
Bark - Level 1		7.4																
Bark - Level 2		-																
Grass - Level 1		-																
Grass - Level 2		-																
Prep - Level 1		-																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 1		-																

**193,510** Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 15. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.1	0.4	0.6	0.3	0.1	-	-	-	-	1.5
	3	-	-	-	-	0.1	0.7	2.5	4.6	3.3	0.9	0.2	-	-	-	12.3
	4	-	-	-	-	-	-	0.1	0.3	0.3	0.1	-	-	-	-	1.0
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	0.1	0.9	3.0	5.5	3.9	1.1	0.3	-	-	-	14.8
31	1-2	-	-	-	-	0.1	0.3	0.5	0.5	0.2	-	-	-	-	-	1.5
	3	-	-	-	-	0.8	5.7	14.3	16.3	8.5	2.0	0.2	-	-	-	48.0
	4	-	-	-	-	0.2	1.3	4.0	5.2	3.1	0.9	0.2	-	-	-	14.8
	5	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	0.6
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	0.1	1.1	7.4	18.9	22.2	11.9	3.0	0.4	-	-	-	65.0
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	0.2	1.2	2.4	2.3	1.3	0.3	-	-	-	-	7.8
	4	-	-	-	-	0.2	0.9	2.2	2.3	1.3	0.4	-	-	-	-	7.4
	5	-	-	-	-	-	0.1	0.2	0.3	0.2	-	-	-	-	-	0.8
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	0.4	2.3	4.8	4.9	2.8	0.7	0.1	-	-	-	16.1
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.4
	4	-	-	-	-	-	0.1	0.1	0.1	0.1	-	-	-	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.1	0.3	0.3	0.2	0.1	-	-	-	-	1.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.2	0.2	0.1	-	-	-	-	-	-	0.6
	4	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.3	0.5	0.3	0.1	-	-	-	-	-	1.3
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	-	0.4
	4	-	-	-	-	-	0.2	0.3	0.2	0.1	-	-	-	-	-	0.8
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.3	0.5	0.4	0.1	-	-	-	-	-	1.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1

\* Less than 0.05 percent.



Table 15. -- *South Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	0.1	1.0	11.3	28.1	33.6	19.2	5.0	0.8	-	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.8														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

404,287 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 16. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.5	1.5	1.0	0.3	0.1	*	-	-	-	3.5
	3	-	-	-	-	*	0.3	1.9	2.7	1.4	0.5	0.1	-	-	-	6.8
	4	-	-	-	-	-	*	*	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.8	3.5	3.9	1.8	0.6	0.1	*	-	-	10.7
31	1-2	-	-	-	-	0.1	1.2	2.8	1.8	0.5	0.1	*	-	-	-	6.4
	3	-	-	-	-	0.1	2.1	11.3	15.4	7.4	2.7	0.4	*	-	-	39.4
	4	-	-	-	-	*	0.1	0.8	2.2	2.0	0.9	0.2	*	-	-	6.1
	5	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	0.2	3.3	14.9	19.5	9.9	3.7	0.7	*	-	-	52.1
41	1-2	-	-	-	-	*	0.1	0.2	0.2	*	*	*	-	-	-	0.6
	3	-	-	-	-	*	0.7	3.4	4.9	2.4	0.8	0.1	*	-	-	12.4
	4	-	-	-	-	*	0.2	0.9	1.7	1.4	0.7	0.2	*	-	-	5.1
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	*	1.0	4.6	6.8	4.0	1.7	0.3	*	-	-	18.3
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.9
32	1-2	-	-	-	-	*	0.3	0.4	0.2	*	*	*	-	-	-	1.0
	3	-	-	-	-	*	0.7	2.4	2.3	0.9	0.2	*	*	-	-	6.6
	4	-	-	-	-	*	*	0.2	0.5	0.4	0.1	*	*	-	-	1.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	0.1	1.0	3.1	3.0	1.3	0.4	0.1	*	-	-	8.9
42	1-2	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.4	1.5	1.5	0.6	0.1	*	*	-	-	4.0
	4	-	-	-	-	*	0.1	0.5	0.7	0.5	0.2	*	*	-	-	2.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	*	0.6	2.1	2.3	1.1	0.3	*	*	-	-	6.5
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4

\* Less than 0.05 percent.

Table 16. — *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.1		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—		-	-	-	-	-	-	0.2	0.2	0.1	-	-	-	-	-	0.5		
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.4		
	4	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—		-	-	-	-	-	-	0.2	0.2	0.1	-	-	-	-	-	0.5		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL—		-	-	-	-	0.4	7.1	29.3	36.6	18.7	6.8	1.2	-	-	-	100.0		
EXTRANEOUS MATTER																Average Staple	33.9	
																Percent Tenderable	43.1	
Bark - Level 1		0.3																
Bark - Level 2		-																
Grass - Level 1		0.2																
Grass - Level 2		-																
Prep - Level 1		-																
Prep - Level 2		-																
Other - Level 1		-																
Other - Level 2		-																

950,220 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 17. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	.	.	.	0.3	1.4	3.9	7.5	9.9	7.1	3.3	1.5	0.2	.	.	35.1
	3	.	.	.	0.1	0.6	1.7	3.2	4.2	3.1	1.4	1.0	0.2	.	.	15.8
	4	.	.	.	.	.	0.2	0.3	0.4	0.3	0.1	0.1	.	.	.	1.6
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.1
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL—	.	.	0.1	0.4	2.1	5.8	11.1	14.6	10.6	4.9	2.6	0.5	.	.	52.5
31	1-2	.	.	.	.	0.1	0.5	0.8	0.9	0.6	0.3	0.1	.	.	.	3.4
	3	.	.	.	0.1	0.3	1.0	2.0	2.3	1.5	0.8	0.5	0.1	.	.	8.7
	4	.	.	.	.	0.1	0.3	0.7	0.9	0.6	0.3	0.2	0.1	.	.	3.2
	5	.	.	.	.	.	.	0.1	0.1	0.1	.	.	.	.	.	0.4
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL—	.	.	.	0.1	0.6	1.8	3.7	4.1	2.8	1.4	0.9	0.2	.	.	15.7
41	1-2	.	.	.	.	.	.	0.1	0.1	0.1	.	.	.	.	.	0.4
	3	.	.	.	.	0.1	0.3	0.4	0.5	0.4	0.2	0.1	.	.	.	2.0
	4	.	.	.	.	0.1	0.2	0.4	0.5	0.3	0.1	0.1	.	.	.	1.7
	5	.	.	.	.	.	0.1	0.2	0.2	0.1	.	.	.	.	.	0.7
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.1
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL—	.	.	.	.	0.2	0.6	1.1	1.3	0.9	0.5	0.2	.	.	.	5.0
51	1-2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.2
	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.1
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL—	.	.	.	.	.	0.1	0.1	0.1	0.1	.	.	.	.	.	0.4
61	1-2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
71	1-2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12 & 22	1-2	.	.	.	0.1	0.3	0.6	0.9	1.1	0.7	0.2	0.1	.	.	.	3.9
	3	.	.	.	0.1	0.2	0.5	0.7	0.9	0.6	0.2	0.1	.	.	.	3.3
	4	.	.	.	.	.	0.1	0.1	0.1	0.1	.	.	.	.	.	0.5
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL—	.	.	.	0.1	0.5	1.1	1.7	2.1	1.4	0.5	0.2	.	.	.	7.7
32	1-2	.	.	.	.	0.1	0.1	0.2	0.3	0.1	.	.	.	.	.	0.9
	3	.	.	.	.	0.2	0.5	0.9	0.9	0.6	0.2	0.1	.	.	.	3.5
	4	.	.	.	.	0.1	0.2	0.4	0.4	0.3	0.1	.	.	.	.	1.6
	5	.	.	.	.	.	.	.	0.1	.	.	.	.	.	.	0.2
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL—	.	.	.	0.1	0.4	0.9	1.5	1.7	1.0	0.4	0.2	.	.	.	6.2
42	1-2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.2
	3	.	.	.	0.1	0.3	0.4	0.4	0.4	0.2	.	.	.	.	.	1.8
	4	.	.	.	.	0.2	0.3	0.5	0.4	0.2	0.1	.	.	.	.	1.7
	5	.	.	.	.	0.1	0.1	0.2	0.2	0.1	.	.	.	.	.	0.7
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.2
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL—	.	.	.	0.1	0.5	0.9	1.2	1.1	0.5	0.1	.	.	.	.	4.6
52	1-2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.2
	3	.	.	.	.	0.2	0.3	0.3	0.2	0.1	.	.	.	.	.	1.1
	4	.	.	.	.	0.1	0.1	0.1	.	.	.	.	.	.	.	0.4
	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	0.1
	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	TOTAL—	.	.	.	0.1	0.3	0.5	0.4	0.3	0.1	.	.	.	.	.	1.8

\* Less than 0.05 percent.



Table 17. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL—</b>		-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	*	0.2
13 & 23	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL—</b>		-	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	*	*	0.8
33	1-2	-	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	3	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	1.0
	4	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL—</b>		-	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	0.1	*	*	*	1.6
43	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.6
	4	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL—</b>		-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	0.1	*	*	*	1.2
53	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	*	0.5
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL—</b>		-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	*	0.8
63	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	0.1	*	0.1	0.1	0.1	*	*	*	*	*	*	*	0.3
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL—</b>		-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	*	*	0.5
24-54	1-7	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
25-35	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	*	0.3
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
<b>TOTAL, ALL—</b>		-	*	0.2	1.1	5.1	13.0	22.3	26.6	18.1	8.2	4.3	0.9	0.1	*	100.0
<b>EXTRANEIOUS MATTER</b>																
Bark - Level 1		5.8														
Bark - Level 2		*														
Grass - Level 1		0.8														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

4,154,609 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

Table 18. - *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.2	1.0	1.4	1.0	0.2	-	-	-	3.8
	4	-	-	-	-	-	-	-	0.2	0.3	0.2	0.1	-	-	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	-	0.2	1.2	1.8	1.1	0.2	-	-	-	4.6
31	1-2	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	0.4
	3	-	-	-	-	-	0.5	4.2	12.3	16.1	8.9	1.8	-	-	-	43.8
	4	-	-	-	-	-	0.1	1.1	5.5	9.4	5.8	1.7	-	-	-	23.6
	5	-	-	-	-	-	-	-	0.1	0.4	0.3	0.1	-	-	-	0.9
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL---	-	-	-	-	-	0.6	5.4	18.0	26.0	15.0	3.6	0.1	-	-	68.7
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.2	1.4	3.4	4.1	1.8	0.4	-	-	-	11.3
	4	-	-	-	-	-	0.1	0.7	2.8	4.6	3.2	1.3	0.1	-	-	12.8
	5	-	-	-	-	-	-	-	0.2	0.4	0.4	0.2	-	-	-	1.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	0.3	2.1	6.4	9.2	5.4	1.9	0.1	-	-	25.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	0.2	0.2	-	-	-	-	0.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	0.1	0.1	0.2	0.1	-	-	-	-	0.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1

\* Less than 0.05 percent.

Table 18. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:  
March 28, 2002

QUALITY		march 26, 2002															
	LEAF	STAPLE															
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	-	-	-	1.0	7.8	25.9	37.4	21.9	5.8	0.1	-	-	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		0.6															
Bark - Level 2		-															
Grass - Level 1		2.7															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

177,971 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through March 28, 2002

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
MIKE 24 & below	*	*	*	*	*	*	*	*	*
25	*	*	*	*	*	*	*	*	*
26	*	*	*	*	*	*	*	*	*
27	0.1	*	*	*	0.1	*	*	*	0.1
28	0.1	0.1	*	*	0.1	*	*	*	0.1
29	0.2	0.1	*	*	0.2	0.1	*	*	0.1
30	0.3	0.2	0.1	0.1	0.3	0.1	*	*	0.1
31	0.4	0.2	0.1	0.1	0.6	0.2	*	*	0.1
32	0.6	0.3	0.1	0.2	0.9	0.3	*	0.1	0.3
33	0.9	0.4	0.2	0.3	1.2	0.3	*	0.1	0.3
34	1.2	0.5	0.3	0.5	1.6	0.5	*	0.1	0.3
35	1.7	0.6	0.5	0.8	1.9	0.8	*	0.2	0.6
36	2.3	0.8	0.7	1.4	2.2	1.1	*	0.3	0.8
37	2.9	1.1	0.9	2.3	2.8	1.6	0.1	0.4	1.2
38	3.6	1.4	1.2	3.5	3.2	2.4	0.1	0.5	1.7
39	4.5	1.8	1.6	5.3	4.0	3.4	0.2	0.7	2.3
40	5.4	2.5	2.3	7.2	5.3	4.7	0.5	1.1	3.2
41	6.3	3.0	3.2	9.6	6.5	6.1	0.9	1.6	4.1
42	7.1	3.9	4.2	11.4	7.6	7.7	1.6	2.3	5.1
43	7.7	4.9	5.4	12.5	8.7	9.5	2.6	3.3	6.3
44	8.3	6.1	6.8	11.5	9.2	10.9	3.9	4.5	7.4
45	8.7	7.3	8.0	9.0	9.6	11.2	5.5	6.0	8.1
46	8.4	8.4	8.9	6.9	8.7	10.5	7.8	7.4	8.5
47	7.7	9.4	9.4	5.2	7.6	8.9	10.1	8.7	8.5
48	6.8	9.9	9.3	4.1	6.5	6.9	12.2	9.7	8.1
49	5.4	9.3	8.9	3.2	5.0	5.0	13.2	10.3	7.1
50	3.8	8.1	7.9	2.1	3.1	3.3	12.8	10.3	6.2
51	2.5	7.1	6.8	1.4	1.8	2.1	11.0	9.6	5.3
52	1.6	5.1	5.4	0.8	0.9	1.2	8.3	8.4	4.5
53	0.9	3.5	3.8	0.4	0.2	0.7	5.2	6.5	3.5
54	0.5	2.1	2.3	0.2	0.1	0.3	2.7	4.4	2.6
55	0.1	1.1	1.1	0.1	*	0.1	1.0	2.5	1.7
56	0.1	0.5	0.5	*	*	*	0.3	1.0	1.0
57	*	0.1	0.1	*	*	*	*	0.1	0.5
58	-	*	*	*	*	*	*	*	0.1
59	-	*	*	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-
Average mike	43	47	45	44	47	45	47	45	44
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	*	-	*	-	-	-	-	*	*
20	*	*	*	*	*	*	*	*	*
21	*	*	*	*	*	*	*	*	*
22	0.1	0.2	*	*	0.1	0.1	*	*	*
23	0.8	0.7	0.1	0.1	1.2	0.7	0.6	0.5	0.1
24	3.6	2.4	0.7	0.3	4.0	2.4	3.1	2.6	0.3
25	10.3	6.5	2.7	0.9	9.0	6.5	9.0	8.6	1.2
26	19.2	12.9	8.6	2.2	14.6	12.8	18.0	19.4	5.0
27	23.0	19.4	20.8	3.7	20.4	18.9	24.3	27.0	14.9
28	18.8	22.1	29.2	4.7	22.4	21.0	22.0	23.0	26.7
29	12.2	18.7	22.2	5.2	16.5	17.1	13.7	12.3	28.1
30	7.0	10.6	10.6	7.5	7.9	11.0	5.9	4.5	16.3
31	3.6	4.3	3.4	13.8	2.9	5.7	2.1	1.3	5.3
32	1.2	1.5	0.9	21.4	0.8	2.5	0.8	0.4	1.4
33	0.2	0.5	0.4	20.4	0.2	0.9	0.4	0.2	0.4
34	0.1	0.2	0.2	12.4	0.1	0.3	0.2	0.1	0.1
35	*	*	0.1	5.0	*	0.1	*	0.1	0.1
36 & above	*	*	0.1	2.4	-	-	-	-	-
Average strength	27.3	27.8	28.1	31.7	27.5	28.0	27.4	27.2	28.6

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.



Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through  
March 28, 2002

MIKE AND FIBER STRENGTH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	0.1	*	0.1	*	*	*	*	*
25	0.1	*	0.2	*	*	*	*	*
26	0.2	*	0.2	*	*	0.1	*	*
27	0.2	*	0.3	*	*	0.1	*	*
28	0.2	*	0.4	*	0.1	0.2	*	0.1
29	0.3	*	0.4	0.1	0.1	0.3	*	0.1
30	0.5	0.1	0.5	0.1	0.1	0.5	0.1	0.2
31	0.8	0.1	0.6	0.1	0.2	0.6	0.2	0.2
32	1.0	0.2	0.7	0.2	0.3	0.8	0.3	0.3
33	1.5	0.4	0.8	0.3	0.3	1.0	0.5	0.5
34	1.9	0.6	1.1	0.4	0.3	1.3	0.7	0.6
35	3.0	1.0	1.4	0.7	0.5	1.8	1.0	0.9
36	4.1	1.4	1.6	0.9	0.6	2.2	1.3	1.2
37	5.2	2.0	2.0	1.3	0.7	2.6	1.8	1.6
38	6.6	2.9	2.3	1.9	0.8	3.2	2.6	2.2
39	7.9	3.9	3.1	2.7	1.0	3.8	3.4	2.9
40	8.8	5.1	3.6	3.8	1.3	4.3	4.3	3.7
41	8.8	6.4	4.5	5.1	1.6	4.9	5.5	4.7
42	8.7	7.8	5.3	6.3	2.1	5.4	6.9	5.6
43	8.2	9.0	6.3	7.4	2.8	6.0	8.1	6.6
44	7.2	9.7	7.5	8.7	3.6	6.5	9.1	7.4
45	5.6	9.9	8.3	9.7	4.6	7.0	9.6	7.9
46	5.0	9.2	9.0	9.9	5.6	7.4	8.9	8.1
47	4.0	8.1	9.2	9.7	6.8	7.6	7.7	8.1
48	3.5	6.7	8.5	8.8	8.1	7.5	6.1	7.8
49	2.7	5.2	7.1	7.2	9.2	6.9	5.1	7.2
50	1.9	3.7	5.6	5.6	10.0	6.0	4.1	6.3
51	1.1	2.6	4.0	4.0	10.2	4.8	3.5	5.3
52	0.6	1.6	2.7	2.6	9.6	3.5	3.2	4.1
53	0.4	1.0	1.5	1.4	8.2	2.1	2.5	2.9
54	0.1	0.6	0.8	0.8	6.0	1.0	1.7	1.7
55	*	0.3	0.4	0.3	3.4	0.4	1.0	0.9
56	*	0.2	0.1	0.2	1.4	0.1	0.6	0.4
57	*	0.1	*	0.1	0.4	*	0.1	0.1
58	-	*	*	*	*	*	0.1	*
59	-	*	*	*	-	*	-	*
60 & above	-	*	-	-	-	*	-	*
Average mike	41	40	43	43	42	40	38	43
FIBER STRENGTH 1/ 17 & below	-	-	-	-	-	*	-	*
18	-	-	-	-	-	*	-	*
19	-	-	-	-	-	*	-	*
20	*	-	*	-	*	*	-	*
21	*	-	*	-	*	0.2	-	*
22	0.3	*	*	*	*	0.5	*	0.2
23	1.3	0.2	0.2	0.1	0.2	1.1	0.1	0.5
24	3.4	0.8	0.6	0.5	0.8	2.0	0.7	1.7
25	5.3	5.2	2.4	3.1	3.0	3.5	4.1	5.0
26	8.2	15.5	7.5	11.2	10.2	7.1	12.5	11.3
27	10.8	23.9	14.3	20.5	24.9	13.6	21.6	18.6
28	13.3	23.1	20.4	25.0	31.9	20.7	24.0	21.4
29	14.4	15.4	20.0	20.0	19.5	21.7	17.6	17.0
30	14.4	8.3	14.3	11.3	6.6	14.9	9.5	10.0
31	12.3	4.1	8.8	5.3	1.7	7.9	4.3	5.5
32	9.2	2.1	5.5	2.0	0.5	4.1	2.3	3.8
33	4.8	1.0	3.5	0.7	0.3	1.9	1.5	2.7
34	1.8	0.4	1.8	0.2	0.1	0.6	1.0	1.4
35	0.5	0.1	0.6	*	0.1	0.1	0.4	0.5
36 & above	0.1	*	0.2	*	*	*	0.3	0.2
Average strength	28.9	27.9	28.9	28.2	27.8	28.5	28.1	28.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

\* Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through March 28, 2002

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
<b>UNIFORMITY 1/</b>									
72 & below	-	*	-	-	-	-	-	-	-
73	-	*	-	-	-	-	-	-	-
74	-	*	-	*	-	-	-	-	-
75	-	*	*	*	-	*	-	-	-
76	-	0.1	*	*	*	*	*	*	*
77	0.1	0.4	*	*	0.1	0.1	0.1	*	*
78	0.8	2.3	0.2	0.3	0.8	1.1	0.9	0.2	0.1
79	4.9	10.3	1.5	2.4	5.8	7.0	6.1	1.8	0.6
80	17.2	30.8	8.1	12.1	23.2	23.6	21.0	10.1	4.2
81	31.7	37.7	27.0	31.5	39.9	37.1	35.6	30.9	20.1
82	30.3	15.7	42.4	39.2	24.5	24.1	27.4	40.2	45.9
83	13.1	2.6	18.2	12.1	5.4	6.4	8.1	14.7	25.6
84	1.8	0.2	2.5	1.6	0.4	0.6	0.8	2.0	3.4
85	*	*	0.1	0.3	*	*	*	0.1	0.1
86	-	*	-	0.2	-	*	-	-	-
87	-	*	-	0.1	-	-	-	-	-
88	-	*	-	*	-	-	-	-	-
89	-	-	-	*	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>81.3</b>	<b>80.6</b>	<b>81.7</b>	<b>81.5</b>	<b>81.0</b>	<b>81.0</b>	<b>81.1</b>	<b>81.6</b>	<b>82.0</b>
<b>TRASH 2/</b>									
0.0	-	*	*	*	-	*	-	-	-
0.1	2.2	30.0	1.2	28.7	0.9	2.3	0.5	1.4	1.6
0.2	16.7	43.1	11.8	43.3	14.7	19.9	9.7	13.2	14.9
0.3	25.4	14.9	22.8	18.0	29.4	30.6	25.3	24.0	28.7
0.4	22.3	5.0	24.1	6.0	26.5	23.7	26.2	23.5	26.8
0.5	15.0	2.4	18.0	2.2	15.7	13.1	17.9	16.7	16.1
0.6	8.7	1.4	10.8	0.9	7.5	6.0	10.0	9.8	7.3
0.7	4.6	0.9	5.7	0.4	3.1	2.5	5.1	5.3	2.9
0.8	2.4	0.6	2.8	0.3	1.3	1.0	2.5	2.8	1.1
0.9	1.2	0.4	1.4	0.1	0.5	0.5	1.3	1.5	0.4
1.0	0.6	0.3	0.7	0.1	0.2	0.2	0.7	0.8	0.2
1.1	0.3	0.2	0.4	*	0.1	0.1	0.4	0.5	0.1
1.2	0.2	0.2	0.2	*	*	0.1	0.2	0.3	*
1.3	0.1	0.1	0.1	*	*	*	*	0.1	*
1.4	*	0.1	*	*	*	*	*	*	*
1.5	*	0.1	*	*	*	*	*	*	*
1.6	*	*	*	*	*	*	*	*	*
1.7	*	*	*	*	*	*	*	*	*
1.8 & above	*	0.1	*	*	*	*	*	*	*
<b>Average trash</b>	<b>0.41</b>	<b>0.23</b>	<b>0.43</b>	<b>0.22</b>	<b>0.39</b>	<b>0.37</b>	<b>0.43</b>	<b>0.43</b>	<b>0.38</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. \* Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through March 28, 2002

UNIFORMITY AND TRASH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
<b>UNIFORMITY 1/</b>								
72 & below	-	-	-	-	-	-	-	*
73	-	-	-	-	-	-	-	*
74	*	-	-	-	*	*	-	*
75	*	*	*	*	-	*	-	*
76	*	*	*	*	*	*	-	*
77	0.2	*	0.3	0.1	*	0.2	*	0.1
78	1.4	0.3	1.2	1.2	0.1	1.5	0.1	0.8
79	8.0	2.4	5.0	7.4	1.2	6.8	1.0	4.4
80	23.1	11.4	17.0	22.5	7.4	21.0	6.3	15.9
81	31.9	31.0	34.0	36.0	28.7	35.5	22.6	32.5
82	25.6	36.8	30.5	25.0	43.8	26.5	38.3	33.0
83	8.5	15.9	10.8	7.1	17.0	7.6	25.8	11.9
84	1.1	2.2	1.2	0.7	1.6	0.8	5.7	1.5
85	*	*	*	*	*	*	0.3	0.1
86	-	-	-	-	-	*	-	*
87	-	-	-	-	-	*	-	*
88	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	*
90 & above	-	-	-	-	-	-	-	-
<b>Average uniformity</b>	<b>81.0</b>	<b>81.6</b>	<b>81.2</b>	<b>81.0</b>	<b>81.7</b>	<b>81.0</b>	<b>82.0</b>	<b>81.3</b>
<b>TRASH 2/</b>								
0.0	0.3	-	*	-	-	*	-	*
0.1	39.1	0.5	32.1	1.6	3.4	21.1	0.2	9.7
0.2	33.2	8.0	29.7	14.9	24.7	31.9	6.3	22.0
0.3	13.8	21.0	15.8	25.3	31.5	20.6	20.4	23.4
0.4	6.6	24.8	9.2	23.7	21.0	11.7	25.8	18.8
0.5	3.4	19.5	5.2	16.3	10.7	6.5	20.3	12.1
0.6	1.7	12.2	3.0	9.1	4.8	3.6	12.9	6.7
0.7	0.8	6.6	1.8	4.5	2.1	2.0	6.9	3.5
0.8	0.4	3.4	1.1	2.2	0.9	1.1	3.5	1.7
0.9	0.3	1.8	0.7	1.1	0.5	0.6	1.8	0.9
1.0	0.1	0.9	0.4	0.6	0.2	0.4	0.9	0.5
1.1	0.1	0.5	0.3	0.3	0.1	0.2	0.5	0.3
1.2	0.1	0.3	0.2	0.2	0.1	0.1	0.2	0.2
1.3	*	0.2	0.1	0.1	*	0.1	0.1	0.1
1.4	*	0.1	0.1	*	*	*	*	*
1.5	-	*	0.1	*	*	*	*	*
1.6	*	*	*	*	*	*	*	*
1.7	-	*	*	*	*	*	*	*
1.8 & above	-	*	0.1	*	*	*	*	*
<b>Average trash</b>	<b>0.22</b>	<b>0.46</b>	<b>0.26</b>	<b>0.41</b>	<b>0.34</b>	<b>0.29</b>	<b>0.47</b>	<b>0.36</b>

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. \* Less than 0.05 percent.

Table 21. -- Quality of American Pima cotton classed for producers by State and United States through March 28, 2002

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	42.2	32.7	38.7	38.0	33.3
	2	19.9	7.0	29.3	20.7	8.3
	3	0.2	0.1	0.2	0.1	0.1
	4	-	*	-	-	*
	5	-	-	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		62.2	39.7	68.2	58.8	41.7
02	1	4.3	33.5	5.8	19.1	31.6
	2	28.9	18.1	21.6	19.8	18.4
	3	0.8	1.3	2.7	0.7	1.3
	4	*	0.1	*	*	0.1
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		34.1	52.9	30.1	39.6	51.3
03	1	*	0.9	*	0.2	0.8
	2	1.5	1.9	0.4	1.0	1.9
	3	0.7	1.0	1.0	0.3	0.9
	4	0.2	0.1	0.2	*	0.1
	5	0.1	*	-	-	*
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		2.5	4.0	1.6	1.6	3.8
04	1	*	0.1	-	*	0.1
	2	0.1	0.7	-	*	0.7
	3	0.1	0.4	0.1	*	0.4
	4	0.1	0.2	*	-	0.2
	5	0.5	*	-	-	*
	6	0.1	*	-	-	*
	7	-	*	-	-	*
Total -----		0.7	1.5	0.1	*	1.3
05	1	-	*	-	-	*
	2	*	0.5	-	-	0.5
	3	*	0.6	-	-	0.5
	4	*	0.2	-	-	0.2
	5	0.2	0.1	-	-	0.1
	6	0.2	*	-	-	*
	7	-	*	-	-	*
Total -----		0.3	1.3	-	-	1.2
06	1	-	*	-	-	*
	2	-	0.2	-	-	0.2
	3	-	0.2	-	-	0.2
	4	-	0.1	-	-	0.1
	5	-	*	-	-	*
	6	0.1	*	-	-	*
	7	-	*	-	-	*
Total -----		0.1	0.4	-	-	0.4
07	1	-	*	-	-	*
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	*	-	-	*
Total -----		-	*	-	-	*
STAPLE						
40 & shorter		-	-	*	*	*
42		0.2	0.1	0.3	0.1	0.1
44		14.7	24.6	16.3	22.2	24.1
46		59.7	63.8	53.6	69.6	63.8
48 & longer		25.4	11.5	29.8	8.0	12.0
Average		46.2	45.7	46.3	45.7	46.0
UNIFORMITY						
72 & below		-	-	-	-	-
73		-	-	-	-	-
74		-	-	-	-	-
75		-	-	-	-	-
76		-	-	-	-	-
77		-	-	-	-	-
78		-	-	-	-	-
79		-	*	-	-	*
80		*	*	0.1	*	*
81		0.2	0.3	0.8	*	0.4
82		1.0	1.8	3.1	0.5	1.6
83		5.0	7.7	11.0	5.1	7.2
84		19.0	21.5	27.7	23.6	23.0
85		34.9	34.5	34.9	56.5	40.2
86		27.8	23.9	17.7	13.0	20.6
87		10.3	8.2	4.2	1.1	6.0
88		1.8	1.8	0.4	0.1	1.0
89		0.1	0.2	*	*	0.2
90 & above		-	*	-	-	*
Average		85.2	85.0	84.6	84.8	84.9
BALES CLASSED		14,101	605,068	12,875	32,806	664,850

\* Less than 0.05 percent.



Table 21. - Quality of American Pima cotton classed for producers by State and United States through March 28, 2002

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	-	-	-	-
25 - 26	-	-	-	-	-
27 - 29	*	0.3	0.4	*	0.3
30 - 32	0.3	2.4	2.3	0.2	2.3
33 - 34	0.6	2.4	2.4	1.6	2.3
35 - 36	1.5	4.6	4.3	3.9	4.4
37 - 42	68.4	68.8	59.4	45.2	67.5
43 - 49	29.2	21.5	31.3	49.0	23.2
50 - 52	*	*	*	0.1	*
53 & above	-	-	-	-	-
Average	41	40	41	42	41
ALL MIKE					
24 & below	-	-	-	-	-
25	-	-	-	-	-
26	-	*	*	-	-
27	-	*	*	-	-
28	-	*	0.1	-	*
29	*	0.2	0.3	*	*
30	*	0.6	0.6	*	*
31	0.1	0.9	0.8	*	*
32	0.2	1.1	0.8	0.1	*
33	0.3	1.1	1.1	0.5	*
34	0.3	1.3	1.3	1.1	1.0
35	0.6	1.7	1.5	1.6	1.4
36	0.9	2.8	2.8	2.3	2.2
37	1.4	4.9	5.4	2.4	3.5
38	4.0	8.1	7.3	2.4	5.5
39	7.3	11.2	9.2	4.5	8.1
40	14.8	14.2	11.7	8.7	12.4
41	20.2	15.4	12.8	13.0	15.4
42	20.8	13.9	13.0	14.2	15.5
43	15.4	10.6	12.0	14.2	13.1
44	8.7	6.6	9.4	16.5	10.3
45	3.8	3.4	5.6	9.4	5.6
46	1.0	1.5	2.6	4.7	2.5
47	0.2	0.6	1.0	2.8	1.2
48	0.1	*	0.5	1.2	0.6
49	*	*	0.2	0.2	0.2
50	-	*	*	0.1	*
51	-	*	-	*	-
52	*	-	*	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	41	40	41	42	41
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	*	*	0.1	*	*
32	-	*	0.4	*	*
33	0.1	0.1	0.9	0.2	0.1
34	0.3	0.2	1.8	0.7	0.3
35	1.0	0.6	3.2	1.5	0.7
36	2.5	1.4	5.0	3.0	1.6
37	5.4	3.3	7.4	6.9	3.6
38	9.3	7.2	12.1	13.4	7.6
39	15.5	13.2	14.7	23.0	13.8
40	19.0	18.6	16.4	21.2	18.7
41	17.7	19.8	15.0	17.2	19.5
42	13.5	15.7	11.6	8.5	15.2
43	8.7	10.0	6.7	2.9	9.1
44	4.5	5.5	3.0	0.9	0.1
45 & above	2.6	4.4	1.5	0.5	*
Average	40.4	40.8	39.6	39.5	38.7
EXTRANEEOUS MATTER					
Bark	1.1	0.1	0.2	0.1	0.1
Grass	0.3	0.3	2.2	0.2	0.3
Spindle Twist	0.3	0.8	0.2	0.1	0.8
Preparation	*	1.9	*	*	1.7

\* Less than 0.05 percent.

TABLE 1. - SUMMARY OF DATA FOR THE 1950-51 FLOODING OF THE MISSISSIPPI RIVER AT ST. LOUIS, MO.					
DATE	STAGE (FEET)	DISCHARGE (CFS)	VELOCITY (FPS)	WATER SURFACE ELEVATION (FEET)	CHANNEL BED ELEVATION (FEET)
1950-11-15	44.5	1,200	1.5	44.5	42.5
1950-11-20	45.0	1,500	1.8	45.0	43.0
1950-11-25	45.5	1,800	2.0	45.5	43.5
1950-12-01	46.0	2,100	2.2	46.0	44.0
1950-12-05	46.5	2,400	2.4	46.5	44.5
1950-12-10	47.0	2,700	2.6	47.0	45.0
1950-12-15	47.5	3,000	2.8	47.5	45.5
1950-12-20	48.0	3,300	3.0	48.0	46.0
1950-12-25	48.5	3,600	3.2	48.5	46.5
1951-01-01	49.0	3,900	3.4	49.0	47.0
1951-01-05	49.5	4,200	3.6	49.5	47.5
1951-01-10	50.0	4,500	3.8	50.0	48.0
1951-01-15	50.5	4,800	4.0	50.5	48.5
1951-01-20	51.0	5,100	4.2	51.0	49.0
1951-01-25	51.5	5,400	4.4	51.5	49.5
1951-02-01	52.0	5,700	4.6	52.0	50.0
1951-02-05	52.5	6,000	4.8	52.5	50.5
1951-02-10	53.0	6,300	5.0	53.0	51.0
1951-02-15	53.5	6,600	5.2	53.5	51.5
1951-02-20	54.0	6,900	5.4	54.0	52.0
1951-02-25	54.5	7,200	5.6	54.5	52.5
1951-03-01	55.0	7,500	5.8	55.0	53.0
1951-03-05	55.5	7,800	6.0	55.5	53.5
1951-03-10	56.0	8,100	6.2	56.0	54.0
1951-03-15	56.5	8,400	6.4	56.5	54.5
1951-03-20	57.0	8,700	6.6	57.0	55.0
1951-03-25	57.5	9,000	6.8	57.5	55.5
1951-04-01	58.0	9,300	7.0	58.0	56.0
1951-04-05	58.5	9,600	7.2	58.5	56.5
1951-04-10	59.0	9,900	7.4	59.0	57.0
1951-04-15	59.5	10,200	7.6	59.5	57.5
1951-04-20	60.0	10,500	7.8	60.0	58.0
1951-04-25	60.5	10,800	8.0	60.5	58.5
1951-05-01	61.0	11,100	8.2	61.0	59.0
1951-05-05	61.5	11,400	8.4	61.5	59.5
1951-05-10	62.0	11,700	8.6	62.0	60.0
1951-05-15	62.5	12,000	8.8	62.5	60.5
1951-05-20	63.0	12,300	9.0	63.0	61.0
1951-05-25	63.5	12,600	9.2	63.5	61.5
1951-06-01	64.0	12,900	9.4	64.0	62.0
1951-06-05	64.5	13,200	9.6	64.5	62.5
1951-06-10	65.0	13,500	9.8	65.0	63.0
1951-06-15	65.5	13,800	10.0	65.5	63.5
1951-06-20	66.0	14,100	10.2	66.0	64.0
1951-06-25	66.5	14,400	10.4	66.5	64.5
1951-07-01	67.0	14,700	10.6	67.0	65.0
1951-07-05	67.5	15,000	10.8	67.5	65.5
1951-07-10	68.0	15,300	11.0	68.0	66.0
1951-07-15	68.5	15,600	11.2	68.5	66.5
1951-07-20	69.0	15,900	11.4	69.0	67.0
1951-07-25	69.5	16,200	11.6	69.5	67.5
1951-08-01	70.0	16,500	11.8	70.0	68.0
1951-08-05	70.5	16,800	12.0	70.5	68.5
1951-08-10	71.0	17,100	12.2	71.0	69.0
1951-08-15	71.5	17,400	12.4	71.5	69.5
1951-08-20	72.0	17,700	12.6	72.0	70.0
1951-08-25	72.5	18,000	12.8	72.5	70.5
1951-09-01	73.0	18,300	13.0	73.0	71.0
1951-09-05	73.5	18,600	13.2	73.5	71.5
1951-09-10	74.0	18,900	13.4	74.0	72.0
1951-09-15	74.5	19,200	13.6	74.5	72.5
1951-09-20	75.0	19,500	13.8	75.0	73.0
1951-09-25	75.5	19,800	14.0	75.5	73.5
1951-10-01	76.0	20,100	14.2	76.0	74.0
1951-10-05	76.5	20,400	14.4	76.5	74.5
1951-10-10	77.0	20,700	14.6	77.0	75.0
1951-10-15	77.5	21,000	14.8	77.5	75.5
1951-10-20	78.0	21,300	15.0	78.0	76.0
1951-10-25	78.5	21,600	15.2	78.5	76.5
1951-11-01	79.0	21,900	15.4	79.0	77.0
1951-11-05	79.5	22,200	15.6	79.5	77.5
1951-11-10	80.0	22,500	15.8	80.0	78.0
1951-11-15	80.5	22,800	16.0	80.5	78.5
1951-11-20	81.0	23,100	16.2	81.0	79.0
1951-11-25	81.5	23,400	16.4	81.5	79.5
1951-12-01	82.0	23,700	16.6	82.0	80.0
1951-12-05	82.5	24,000	16.8	82.5	80.5
1951-12-10	83.0	24,300	17.0	83.0	81.0
1951-12-15	83.5	24,600	17.2	83.5	81.5
1951-12-20	84.0	24,900	17.4	84.0	82.0
1951-12-25	84.5	25,200	17.6	84.5	82.5
1952-01-01	85.0	25,500	17.8	85.0	83.0
1952-01-05	85.5	25,800	18.0	85.5	83.5
1952-01-10	86.0	26,100	18.2	86.0	84.0
1952-01-15	86.5	26,400	18.4	86.5	84.5
1952-01-20	87.0	26,700	18.6	87.0	85.0
1952-01-25	87.5	27,000	18.8	87.5	85.5
1952-02-01	88.0	27,300	19.0	88.0	86.0
1952-02-05	88.5	27,600	19.2	88.5	86.5
1952-02-10	89.0	27,900	19.4	89.0	87.0
1952-02-15	89.5	28,200	19.6	89.5	87.5
1952-02-20	90.0	28,500	19.8	90.0	88.0
1952-02-25	90.5	28,800	20.0	90.5	88.5
1952-03-01	91.0	29,100	20.2	91.0	89.0
1952-03-05	91.5	29,400	20.4	91.5	89.5
1952-03-10	92.0	29,700	20.6	92.0	90.0
1952-03-15	92.5	30,000	20.8	92.5	90.5
1952-03-20	93.0	30,300	21.0	93.0	91.0
1952-03-25	93.5	30,600	21.2	93.5	91.5
1952-04-01	94.0	30,900	21.4	94.0	92.0
1952-04-05	94.5	31,200	21.6	94.5	92.5
1952-04-10	95.0	31,500	21.8	95.0	93.0
1952-04-15	95.5	31,800	22.0	95.5	93.5
1952-04-20	96.0	32,100	22.2	96.0	94.0
1952-04-25	96.5	32,400	22.4	96.5	94.5
1952-05-01	97.0	32,700	22.6	97.0	95.0
1952-05-05	97.5	33,000	22.8	97.5	95.5
1952-05-10	98.0	33,300	23.0	98.0	96.0
1952-05-15	98.5	33,600	23.2	98.5	96.5
1952-05-20	99.0	33,900	23.4	99.0	97.0
1952-05-25	99.5	34,200	23.6	99.5	97.5
1952-06-01	100.0	34,500	23.8	100.0	98.0
1952-06-05	100.5	34,800	24.0	100.5	98.5
1952-06-10	101.0	35,100	24.2	101.0	99.0
1952-06-15	101.5	35,400	24.4	101.5	99.5
1952-06-20	102.0	35,700	24.6	102.0	100.0
1952-06-25	102.5	36,000	24.8	102.5	100.5
1952-07-01	103.0	36,300	25.0	103.0	101.0
1952-07-05	103.5	36,600	25.2	103.5	101.5
1952-07-10	104.0	36,900	25.4	104.0	102.0
1952-07-15	104.5	37,200	25.6	104.5	102.5
1952-07-20	105.0	37,500	25.8	105.0	103.0
1952-07-25	105.5	37,800	26.0	105.5	103.5
1952-08-01	106.0	38,100	26.2	106.0	104.0
1952-08-05	106.5	38,400	26.4	106.5	104.5
1952-08-10	107.0	38,700	26.6	107.0	105.0
1952-08-15	107.5	39,000	26.8	107.5	105.5
1952-08-20	108.0	39,300	27.0	108.0	106.0
1952-08-25	108.5	39,600	27.2	108.5	106.5
1952-09-01	109.0	39,900	27.4	109.0	107.0
1952-09-05	109.5	40,200	27.6	109.5	107.5
1952-09-10	110.0	40,500	27.8	110.0	108.0
1952-09-15	110.5	40,800	28.0	110.5	108.5
1952-09-20	111.0	41,100	28.2	111.0	109.0
1952-09-25	111.5	41,400	28.4	111.5	109.5
1952-10-01	112.0	41,700	28.6	112.0	110.0
1952-10-05	112.5	42,000	28.8	112.5	110.5
1952-10-10	113.0	42,300	29.0	113.0	111.0
1952-10-15	113.5	42,600	29.2	113.5	111.5
1952-10-20	114.0	42,900	29.4	114.0	112.0
1952-10-25	114.5	43,200	29.6	114.5	112.5
1952-11-01	115.0	43,500	29.8	115.0	113.0
1952-11-05	115.5	43,800	30.0	115.5	113.5
1952-11-10	116.0	44,100	30.2	116.0	114.0
1952-11-15	116.5	44,400	30.4	116.5	114.5
1952-11-20	117.0	44,700	30.6	117.0	115.0
1952-11-25	117.5	45,000	30.8	117.5	115.5
1952-12-01	118.0	45,300	31.0	118.0	116.0
1952-12-05	118.5	45,600	31.2	118.5	116.5
1952-12-10	119.0	45,900	31.4	119.0	117.0
1952-12-15	119.5	46,200	31.6	119.5	117.5
1952-12-20	120.0	46,500	31.8	120.0	118.0
1952-12-25	120.5	46,800	32.0	120.5	118.5
1953-01-01	121.0	47,100	32.2	121.0	119.0
1953-01-05	121.5	47,400	32.4	121.5	119.5
1953-01-10	122.0	47,700	32.6	122.0	120.0
1953-01-15	122.5	48,000	32.8	122.5	120.5
1953-01-20	123.0	48,300	33.0	123.0	121.0
1953-01-25	123.5	48,600	33.2	123.5	121.5
1953-02-01	124.0	48,900	33.4	124.0	122.0
1953-02-05	124.5	49,200	33.6	124.5	122.5
1953-02-10	125.0	49,500	33.8	125.0	123.0
1953-02-15	125.5	49,800	34.0	125.5	123.5
1953-02-20	126.0	50,100	34.2	126.0	124.0
1953-02-25	126.5	50,400	34.4	126.5	124.5
1953-03-01	127.0	50,700	34.6	127.0	125.0
1953-03-05	127.5	51,000	34.8	127.5	125.5
1953-03-10	128.0	51,300	35.0	128.0	126.0
1953-03-15	128.5	51,600	35.2	128.5	126.5
1953-03-20	129.0	51,900	35.4	129.0	127.0
1953-03-25	129.5	52,200	35.6	129.5	127.5
1953-04-01	130.0	52,500	35.8	130.0	128.0
1953-04-05	130.5	52,800	36.0	130.5	128.5
1953-04-10	131.0	53,100	36.2	131.0	129.0
1953-04-15	131.5	53,400	36.4	131.5	129.5
1953-04-20	132.0	53,700	36.6	132.0	130.0
1953-04-25	132.5	54,000	36.8	132.5	130.5
1953-05-01	133.0	54,300	37.0	133.0	131.0
1953-05-05	133.5	54,600	37.2	133.5	131.5
1953-05-10	134.0	54,900	37.4	134.0	132.0